



EFFECTIVE DATE IS : 01.07.2017



"TOTEM" HIGH SPEED STEEL CUT THREAD CIRCULAR SPLIT DIES

OD INCH	SIZE INCH	BSW each Rs	BSF each Rs	UNF each Rs	UNC each Rs	BSB each Rs	BSCYCLE each Rs	ME each Rs	BSP each Rs	BSCON each Rs	BA each Rs
13/16"	0	-	-	-	-	-	-	-	-	-	253
-	1	-	-	-	-	-	-	-	-	-	253
-	2	-	-	-	-	-	-	-	-	-	253
-	3	-	-	289	289	-	-	-	-	-	253
-	4	-	-	289	289	-	-	-	-	-	253
-	5	-	-	289	289	-	-	-	-	-	253
-	6	-	-	289	289	-	-	-	-	-	253
-	7	-	-	-	-	-	-	-	-	-	289
-	8	-	-	289	289	-	-	-	-	-	289
-	9	-	-	-	-	-	-	-	-	-	373
-	10	-	-	289	289	-	-	-	-	-	373
-	11	-	-	-	-	-	-	-	-	-	373
-	12	-	-	289	289	-	-	-	-	-	-
-	1/16	373	-	-	-	-	-	-	-	-	-
-	3/32	289	-	-	-	-	-	-	-	-	-
-	1/8	253	-	-	-	-	-	253	-	-	-
-	5/32	253	-	-	-	-	-	253	-	-	-
-	3/16	253	253	-	-	-	-	253	-	-	-
-	7/32	253	253	-	-	-	-	253	-	-	-
-	1/4	253	253	253	253	253	-	253	-	253	-
1"	1/8	-	-	-	-	-	-	-	360	-	-
-	1/4	360	360	360	360	360	360	360	-	-	-
-	9/32	360	360	-	-	-	-	360	-	-	-
-	5/16	360	360	360	360	360	360	360	-	-	-
-	3/8	360	360	360	360	360	360	360	-	-	-
-	0.308 x 30	-	-	-	-	-	360	-	-	-	-

****GST will be charged extra as applicable**

"TOTEM" HIGH SPEED STEEL CUT THREAD CIRCULAR SPLIT DIES

OD INCH	SIZE INCH	BSW each Rs	BSF each Rs	UNF each Rs	UNC each Rs	BSB each Rs	BSCYCLE each Rs	ME each Rs	BSP each Rs	BSCON each Rs	BA each Rs
1.1/2"	1/4	-	-	-	-	-	-	-	600	-	-
-	3/8	-	-	-	-	-	-	-	600	-	-
-	7/16	600	600	600	600	-	-	-	-	-	-
-	1/2	600	600	600	600	-	-	-	600	600	-
-	9/16	600	600	600	600	-	-	-	-	-	-
-	5/8	600	600	600	600	-	-	-	-	600	-
-	11/16	600	-	-	-	-	-	-	-	-	-
-	3/4	600	600	600	600	-	-	-	-	600	-
2"	1/2	-	-	-	-	-	-	-	955	-	-
-	5/8	-	-	-	-	-	-	-	955	-	-
-	3/4	-	-	-	-	-	-	-	955	-	-
-	7/8	955	955	955	955	-	-	-	955	-	-
-	1"	955	955	955	955	-	-	-	955	-	-
2.1/4"	7/8	-	-	-	-	-	-	-	1206	-	-
	1.1/8	1206	1206	1206	1206	-	-	-	-	-	-
	1.1/4	1206	1206	1206	1206	-	-	-	-	-	-
2.1/2"	1.1/8	-	-	-	-	-	-	-	1897	-	-
	1.1/4	1897	-	-	-	-	-	-	1897	-	-
	1.3/8	1897	1897	1897	1897	-	-	-	-	-	-
-	1.1/2	1897	1897	1897	1897	-	-	-	-	-	-
3"	1.1/4	-	-	-	-	-	-	-	2678	-	-
-	1.1/2	2678	2678	2678	2678	-	-	-	-	2678	-
4"	1.3/8	-	-	-	-	-	-	-	3737	-	-
-	1.1/2	-	-	-	-	-	-	-	3737	-	-
	1.3/4	3737	3737	3737	3737	-	-	-	3737	-	-
	2	3737	3737	3737	3737	-	-	-	3737	-	-

**GST will be charged extra as applicable

"TOTEM" HIGH SPEED STEEL CUT THREAD CIRCULAR SPLIT DIES

OD INCH	SIZE MM	Each Rs	OD INCH	SIZE MM	Each Rs	OD INCH	SIZE MM	each Rs
13/16"	1.6 X 0.35	373	1"	6 X 0.5, 0.75	385	1.1/2"	11X 1.0, 1.5	600
-	2 X 0.4	289	-	6 X 1	360	-	12 X 1, 1.25, 1.5, 1.7	600
-	2.2 X 0.45	289	-	7 X 0.75	385	-	14 X 1, 1.25, 1.5, 2	600
-	2.3 X 0.4	289	-	7 X 1	360	-	15 X 1.5	600
-	2.5 X 0.45	289	-	8 X 0.75, 1	385	-	16 X 1, 1.5, 2.0	600
-	2.6 X 0.45	289	-	8 X 1.25	360	-	18 X 1.5, 2.5	600
-	3 X 0.35, 0.60	289	-	9 X 0.75,1	385	-	20 X 1.5, 2.5	600
-	3 X 0.5	253	-	9 X 1.25	360	-	-	-
-	3.5 X 0.6	253	-	10X0.5,0.75,1,1.25	385	-	-	-
-	4 X 0.35, 0.50	289	-	10 X 1.5	360	-	-	-
-	4 X 0.7	253	-	-	-	-	-	-
-	4 X 0.75	289	-	-	-	-	-	-
-	4.5 X 50	289	-	-	-	-	-	-
-	4.5X0.75	289	-	-	-	-	-	-
-	5 X 0.8	253	-	-	-	-	-	-
-	5X0.9	289	-	-	-	-	-	-
-	5.5 X 0.75	289	-	-	-	-	-	-
-	5.5 X 0.5, 0.9	289	-	-	-	-	-	-
-	6 X 0.5, 0.75	289	-	-	-	-	-	-
-	6X1	253	-	-	-	-	-	-
-	7 X 0.75	289	-	-	-	-	-	-
-	7X1	289	-	-	-	-	-	-
2"	22 X 1.5	955	2.1/4"	27X3.0	1206	2.1/2"	34x1.5	1897
-	22 X 2.5	955	-	30X3.5	1206	-	35x1.5	1897
-	24 X 1, 1.5, 3	955	-	32x1.5	1206	-	36x1.5, 4.0	1897
-	25 x 1.5	955	-	33 x 1.5, 3.5	1206	-	40 x 1.5	1897
-	26 x 1.5	955	-	-	-	-	-	-
-	27 x 1.5, 3.0	955	-	-	-	-	-	-
-	28 x 1.5	955	-	-	-	-	-	-
-	30 x 1.5, 3.5	955	-	-	-	-	-	-
3"	34 x 1.5	2678	4"	45 x 1.5	3737	-	-	-
-	35 x 1.5	2678	-	46 x 1.5	3737	-	-	-
-	36 x 1.5, 4.0	2678	-	48 x 1.5, 5.0	3737	-	-	-
-	38 x 1.5	2678	-	50 x 1.5	3737	-	-	-
-	39 x 4	2678	-	52 x 1.5	3737	-	-	-
-	42 x 4.5	2678	-	55 x 1.5	3737	-	-	-
-	45 x 1.5	2678	-	60 x 1.5	3737	-	-	-

****GST will be charged extra as applicable**

"TOTEM" CARBON STEEL CUT THREAD CIRCULAR SPLIT DIES

OD INCH	SIZE INCH	BSW each Rs	BSF each Rs	UNF each Rs	UNC each Rs	BSB each Rs	BSCYCLE each Rs	ME each Rs	BSP each Rs	BSCON each Rs	BA each Rs	WF each Rs
13/16"	0	-	-	-	-	-	-	-	-	-	70	-
	1	-	-	-	-	-	-	-	-	-	70	-
	2	-	-	-	-	-	-	-	-	-	70	-
-	3	-	-	70	70	-	-	-	-	-	70	-
	4	-	-	70	70	-	-	-	-	-	70	-
	5	-	-	70	70	-	-	-	-	-	70	-
	6	-	-	70	70	-	-	-	-	-	70	-
-	7	-	-	-	-	-	-	-	-	-	101	-
	8	-	-	70	70	-	-	-	-	-	101	-
-	9	-	-	-	-	-	-	-	-	-	120	-
	10	-	-	70	70	-	-	-	-	-	120	-
	11	-	-	-	-	-	-	-	-	-	170	-
-	12	-	-	70	70	-	-	-	-	-	170	-
-	11/71 x 40, 48	-	-	-	-	-	-	-	-	-	-	70
-	13/71 x 24, 36	-	-	-	-	-	-	-	-	-	-	70
-	3/16 x 28	-	-	-	-	-	-	-	-	-	-	70
-	15/71 x 28, 40	-	-	-	-	-	-	-	-	-	-	70
-	1/4x32	-	-	-	-	-	-	-	-	-	-	70
-	1/16	170	-	-	-	-	-	-	-	-	-	-
-	3/32	101	-	-	-	-	-	-	-	-	-	-
-	1 /8	70	-	-	-	-	-	70	-	-	-	-
-	5/32	70	-	-	-	-	-	70	-	-	-	-
-	3/16	70	70	-	-	-	70	70	-	-	-	-
-	7/32	70	70	-	-	-	-	70	-	-	-	-
	1 /4	70	70	70	70	70	70	70	-	-	-	-
1"	5/16 x 30, 40	-	-	-	-	-	-	-	-	-	-	110
-	3/8 x 40	-	-	-	-	-	-	-	-	-	-	110
-	1/8	-	-	-	-	-	-	-	110	-	-	-
-	1 /4	110	110	110	110	-	-	110	-	-	-	-
-	9/32	110	110	-	-	-	-	110	-	-	-	-
-	5/16	110	110	110	110	-	-	110	-	-	-	-
-	3/8	110	110	110	110	-	-	110	-	-	-	-
-	0.308 x 30	-	-	-	-	-	110	-	-	-	-	-

**GST will be charged extra as applicable

"TOTEM" CARBON STEEL CUT THREAD CIRCULAR SPLIT DIES

OD INCH	SIZE INCH	BSW each Rs	BSF each Rs	UNF each Rs	UNC each Rs	BSB each Rs	BSCYCLE each Rs	BSP each Rs	BSCON each Rs	WF each Rs
1.1/2"	7/16 x 32, 40	-	-	-	-	-	-	-	-	232
	1/2/32 x40	-	-	-	-	-	-	-	-	232
	1/4	-	-	-	-	-	-	232	-	-
-	3/8	-	-	-	-	-	-	232	-	-
	7/16	232	232	232	232	-	-	-	-	-
	1/2	232	232	232	232	-	-	232	232	-
	9/16	232	232	232	232	232	232	-	-	-
	5/8	232	232	232	232	-	-	-	232	-
	11/16	232	232	-	-	-	-	-	-	-
	3/4	232	232	232	232	-	-	-	232	-
2"	1/2	-	-	-	-	-	-	355	-	-
-	5/8	-	-	-	-	-	-	355	-	-
	3/4	-	-	-	-	-	-	355	-	-
	7/8	355	355	355	355	-	-	355	-	-
	1"	355	355	355	355	-	-	355	355	-
2.1/4"	7/8	-	-	-	-	-	-	687	-	-
	1.1/8	687	687	687	687	-	-	-	-	-
	1.1/4	687	687	687	687	-	-	-	-	-
2.1/2"	1.1/8	-	-	-	-	-	-	970	-	-
	1.1/4	-	-	-	-	-	-	970	-	-
	1.3/8	970	970	970	970	-	-	-	-	-
	1.1/2	970	970	970	970	-	-	-	-	-
3"	1.1/4	-	-	-	-	-	-	1094	1094	-
-	1.1/2	1094	1094	1094	1094	-	-	-	-	-
4"	1.3/8	-	-	-	-	-	-	1607	-	-
-	1.1/2	-	-	-	-	-	-	1607	-	-
	1.3/4	1607	1607	1607	1607	-	-	1607	-	-
	2	1607	1607	1607	1607	-	-	1607	-	-

**GST will be charged extra as applicable

"TOTEM" CARBON STEEL CUT THREAD CIRCULAR SPLIT DIES

OD INCH	SIZE MM	Each Rs	OD INCH	SIZE MM	Each Rs	OD INCH	SIZE MM	Each Rs
13/16"	1.6 x 0.35	170	1"	6 x 0.5, 0.75	110	1.1/2"	11x 1.0,1.5	232
-	2 x 0.4	101	-	6 x 1	110	-	12 x 1, 1.25, 1.5,1.75	232
-	2.2 x 0.45	101	-	7 x 0.75	110	-	14x1,1.25,1.5	232
-	2.3x0.4	101	-	7x1	110	-	14x2	232
-	2.5x0.45	101	-	8x0.75, 1.0	110	-	15x 1.0,1.5	232
-	2.6 x 0.45	101	-	8 x 1.25	110	-	16 x 1.0,1.5	232
-	3x0.5	70	-	9x0.75, 1.0	110	-	16x2	232
-	3.5 x 0.6	70	-	9 x 1.25	110	-	18 x 1.0, 1.5, 2.0, 2.5	232
-	4 x 0.35, 0.75	70	-	10 x 0.75, 1,1.25	110	-	20 x 1.5, 2.5	232
-	4x0.7	70	-	10x1.50	110	-		-
-	4.5x0.5	70	-	-	-	-	-	-
-	4.5 x 0.75	70	-	-	-	-	-	-
-	5 x 0.5, 0.75, 0.90	70	-	-	-	-	-	-
-	5x8	70	-	-	-	-	-	-
-	5.5 x 0.5, 0.90	70	-	-	-	-	-	-
-	6 x 0.5, 0.75	70	-	-	-	-	-	-
-	6x1	70	-	-	-	-	-	-
-	7 x 0.75	70	-	-	-	-	-	-
-	7 x 1	70	-	-	-	-	-	-
2"	20 x 1.5, 2.5	355	2.1/4"	27 x 3.0	687	2.1/2"	34 x 1.5	970
-	22 x 1.5, 2.5	355	-	30 x 3.5	687	-	35 x 1.5	970
-	24 x 1.5	355	-	32 x 1.5	687	-	36 x 1.5, 4.0	970
-	24 x 3	355	-	33 x 1.5, 3.5	687	-	40 x 1.5	970
-	25 x 1.5	355	-	-	-	-	-	-
-	26 x 1.5	355	-	-	-	-	-	-
-	27 x 1.5, 3.0	355	-	-	-	-	-	-
-	28 x 1.5	355	-	-	-	-	-	-
-	30 x 1.5, 3.5	355	-	-	-	-	-	-
3"	34 x 1.5	1094	4"	45 x 1.5	1607	-	-	-
-	35 x 1.5	1094	-	46 x 1.5	1607	-	-	-
-	36 x 1.5, 4.0	1094	-	48 x 1.5, 5.0	1607	-	-	-
-	38 x 1.5	1094	-	50 x 1.5	1607	-	-	-
-	39 x 4	1094	-	52 x 1.5	1607	-	-	-
-	42 x 4.5	1094	-	55 x 1.5	1607	-	-	-
-	45 x 1.5	1094	-	60 x 1.5	1607	-	-	-

****GST will be charged extra as applicable**

"TOTEM NPT/BSPT ROUND DIES"

HIGH SPEED STEEL

SIZE INCH	OD INCH					
	1" Each Rs	1.1/2" Each Rs	2" Each Rs	2.1/2" Each Rs	3" Each Rs	4" Each Rs
1/8	457	569		-	-	-
1 /4	-	636	-	-	-	-
3/8	-	747	915	-	-	-
1/2	-	-	1038	-	-	
3/4	-	-	1272	2254	-	
1	-	-	-	2544	2957	-
1.1/4	-	-	-	-	3458	4128
1.1/2	-	-	-	-	-	4441
2	-	-	-	-	-	-

CARBON STEEL

SIZE INCH	OD INCH					
	1" Each Rs	1.1/2" Each Rs	2" Each Rs	2.1/2" Each Rs	3" Each Rs	4" Each Rs
1 /8	290	369	-	-	-	-
1 /4	-	469	-	-	-	-
3/8	-	491	636	-	-	-
1/2	-	-	704	-	-	-
3/4	-	-	915	1161	-	-
1	-	-	-	1283	1429	-
1.1/4	-	-	-	-	1719	-
1.1/2	-	-	-	-	-	2075
2	-	-	-	-	-	2455

****GST will be charged extra as applicable**

"TOTEM" HIGH SPEED STEEL DIES NUTS

ACROSS FLAT	BSW/BSF/UNC/UNF	BSP	METRIC MM	Each Rs HIGH SPEED STEEL
0.710	1 /8 to 1 /4	-	3 to 6	235
0.820	5/16'	-	7 to 8	280
0.920	3/8'	1/8'	9 to 10	301
1.010	7/16'	-	11	413
1.100	1/2'	1/4'	12 to 13	457
1.300	9/16, 5/8	3/8'	14 to 16	580
1.480	11/16, 3/4	-	18 to 20	691
1.670	7/8'	1/2', 5/8	21 to 22	937
2.050	1'	3/4'	24 to 26	1451

"TOTEM" CARBON STEEL DIES NUTS

ACROSS FLAT	BSW/BSFIUNC/UNF	BSP	METRIC MM	Each Rs CARBON STEEL
0.710	1 /8 to 1 /4	-	3 to 6	90
0.820	5/16'	-	7 to 8	96
0.920	3/8'	1/8'	9 to 10	106
1.010	7/16'	-	11	201
1.100	1/2'	1/4'	12 to 13	257
1.300	9/16, 5/8	3/8'	14 to 16	280
1.480	11/16, 3/4	-	18 to 20	312
1.670	7/8'	1/2', 5/8	21 to 22	413
2.050	1'	3/4'	24 to 26	559

****GST will be charged extra as applicable**

"TOTEM" HIGH SPEED STEEL GROUND THREAD DIES

OD x THICKNESS	SIZE	Each Rs	OD x THICKNESS	SIZE	Each Rs
16 x 5	1.6 x 0.35	679	30 x 11	10.0 x 1.00	704
		-	-	10.0 x 1.25	704
20x5	1.6x0.35	679		10.0x1.50	704
	2.0 x 0.40	525	-	-	-
	2.5 x 0.45	525	38 x 10	12.0 x 1.00	1082
	2.6 x 0.45	525	-	12.0 x 1.25	1082
	3.0x0.50	457	-	12.0x1.5	1082
	4.0 x 0.70	457	-	14.0 x 1.00	1082
		-	-	14.0 x 1.25	1082
20 x 7	5.0 x 0.80	457	-	14.0 x 1.5	1082
	6.0 x 1.00	457	-	-	-
		-	38x14	12.0x1.75	1082
25 x 9	7.0 x 1.00	670	-	14.0 x 2.00	1082
	8.0 x 1.00	704	-	-	-
	8.0 x 1.25	670	-	-	-

**GST will be charged extra as applicable